DUTYPOINT

VMV

PRODUCT DATA SHEET

VMV2-05-6V110D02

The WRAS approved VMV is a versatile, high-performance cold water booster set constructed using premium components and a strict adherence to quality standards. Specifiers can tailor a booster set to the precise project requirements. The VMV can be delivered disassembled for on-site assembly if required.


- All products in the VMV Cold Water Pressure Booster range are fully WRAS approved.
- Variable speed pumps
- HIRISE technology which protects the building's pipework by ensuring the pumps start slowly during the initial fill process to prevent surge and consquent damage to the riser. Intelligent motor control
- Cyclic duty changeover which ensures even wear across all pumps in the system.
- Common alarm volt-free contract
- Hours run recorders
- Pressure set point adjustment
- Local electrical isolation and MCB protection.
- Integral anti-vibration mountings
- TrueStandby™ ensures that every key component in the pressure booster has a back-up to keep the system operational in the rare occurrence of a component failure.



Specification

Suction connection	DN80
Discharge connection	DN80
Maximum working pressure	16.00 bar
Motor power	11.00 kW
Weight	490.00 kg
Vessel size	35.0 L
Number of pumps	2

Performance



Specifications and illustrations are subject to revision without notice. Dutypoint Ltd is not liable for any incompleteness or inaccuracies.

Electrical Data

Mains connection	3~ 400V/60Hz
Current per pump	19,8 A
Operating speed range	1800 - 2900 rpm
Frequency range	30-60 Hz

Model Codes

VMV2-05-6V110D02


Range

No of Pumps

Nominal flow in m³/h

Motor kW per Pump

Technical Drawings




Drawing dimensions

Dimension A	1,578 mm
Dimension B	850 mm
Dimension C	425 mm
Dimension D	500 mm
Dimension E	542 mm
Dimension G	190 mm

Specifications and illustrations are subject to revision without notice. Dutypoint Ltd is not liable for any incompleteness or inaccuracies.

Performance



Specifications and illustrations are subject to revision without notice. Dutypoint Ltd is not liable for any incompleteness or inaccuracies.